Low Noise Oil-less Air Compressor 系列無油式低噪音空壓機



More Advanced, Quiet, Reliable 靜音、無油,提供最高品質壓縮空氣







High Quality Components. Reliable And Easy Maintenance.

高品質組件、高信賴度、易維修。



Equipped With Unloading Solenoid To Re-start The Unit Smoothly If Power Is Cut Off During Operation.

附有無負荷啟動電磁閥裝置·運轉 中斷電,可順利再啟動運轉。

Low Noise, High Efficiency Filter To Reduce Noise.

低噪音、高效能濾清器吸音結構





DRS Series Air Compressor Pump

- · High quality components. Reliable and easy maintenance.
- · Low noise, high efficiency filter to reduce noise.
- Equipped with anti-vibration pad to achieve low
- · High efficient motor with built-in over-current protector and over-heat protection inside.
- · Air discharge tube is made of stainless steel.

● DRS系列空壓機機體

- 高品質組件、高信賴度、易維修。
- 低噪音、高效能濾清器吸音結構。
- 低震動、機體附有緩衝墊吸震效果佳。
- 馬達效率高,內附有電流保護器裝置及過熱 保護裝置。
- 排氣管採用不銹鋼軟管。

2) Components Of Control System

- · Reliable components: pressure switch, check valve, pressure gauge, solenoid valve, safety
- · Equipped with unloading solenoid valve to re-start the unit smoothly if power is cut off during operation.
- · Optional parts: pressure regulator with gauge, or quick coupling.

● 控制系統元件

- 採用高信賴度組件:壓力開關、逆止閥、壓力 錶、電磁閥、安全閥。
- · 附有無負荷啟動電磁閥裝置, 運轉中斷電, 可 順利再啟動運轉。
- ·空氣出口附有考克,另可選配調壓閥(含壓力 計)、快速接頭。

3) Air Tank

- · Inner surface is coated with epoxy to avoid rusting (optional).
- · Made of high strength steel.
- · Equipped with safety valve to ensure safe operation.
- · Powder coating to create exquisite appearance and hard finish for long lasting.

儲氣桶

- ·可選用桶內環氧樹脂塗裝,無銹蝕之慮。
- ·採用高強度鋼板設計,安全可靠。
- ·安全閥裝置,符合安全規範設定,確保使用 安全。
- 粉體塗裝,外觀精美,塗裝不易脫落。

Specs. 規格	Motor (kw/hp)		Working Pressure (kg/cm ² .g)	Speed (r.p.m) 轉 速		Displacement (l/min) 活塞變位量		Noise Level dB(A) 噪音值		Tank Capacity (liter)	Dimension LxWxH (mm)	Weight (kg)
型式	馬	達	使用壓力	50HZ	60HZ	50HZ	60HZ	50HZ	60HZ	儲氣桶容量	尺 寸	重量
DRS-207-22	0.55	0.75	7	1430	1720	106	127	64	64	22	635X294X585	26
DRS-210-22	0.75	1	7	1430	1720	137	153	66	68	22	635X294X585	26
DRS-210-30	0.75	1	7	1430	1720	137	153	66	68	30	400X340X800	31
DRS-210-36	0.75	1	7	1430	1720	137	153	66	68	36	800X294X600	32
DRS-215-50	1.1	1.5	8	1430	1720	200	241	70	72	50	470X392X910	48
DRS-210-50T	0.75X2	1X2	7	1430	1720	137X2	153X2	71	73	50	845X320X593	47

- ※Keep on developing for excellence, we reserve the right to alter specifications without prior notice. ※本公司不斷研究改進,規格如有變更,恕不另行通知。 ※Other special discharge, pressure and drive type are available upon request1 ※規格外之壓力、排氣量、空壓設備,詳細資料歡迎與本公司治詢。

Much More Reliable And Durable

高信賴度,更耐用











Oil-less 無油式 Low Noise 低噪音 High Reliability 高信賴

The low noise, oilless series of compressors are specially innovated to meet the most strict requirements from pure compressed air.

秉持綠色環保和安全品質的理念,開發 適合醫療及精密行業使用的系列機種。

Applications:

Sandblasting; Filling Gun; Air Nailer; Blowing Gun; Airbrush; Paint Sprayer; Powder Coating; Pesticide Sprayer; Tire Inflator; And Dusting Gun.

用途範圍:

噴砂、填充槍、打釘機、吹氣清潔、 噴筆、噴畫、噴漆、噴藥、輪胎充氣、 引擎清潔。



0.75HP-2HP Clean, Eco-friendly 清潔環保 Stable And Durable 穩定耐用









TONG CHENG IRON WORKS CO., LTD. No. 16, Sec. 2, Ta Chin Street, South Dist., Taichung 402026, Taiwan

總公司

402026 台中市南區大慶街二段16號

www.swan-aircompressor.com

台北營業所

248018 新北市五股區五權五路43號

♣+886 2 2299 1285 +886 2 2298 2296

台南營業所

710005 台南市永康區中正南路635號







